

What is claimed is:

1. A combination wipe and attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end being bifurcated to create a pair of spaced outwardly extending flaps with an open area between said flaps, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure on said inner surface of said flaps, complementary fastening structure on said outer surface of said first end, said fastening structure and said complementary fastening structure being located for engagement when said cover is folded around a cleaning head of a cleaning implement to form a closed loop around the cleaning head with said flaps being outwardly of and secured to said first end whereby said open area between said flaps is adapted to accommodate a handle extending outwardly from the cleaning head, said loop having a top and a bottom, and said central section being at said bottom of said loop remote from said secured first

WATCH-6

end and flaps at said top of said loop, said intermediate section having a first contact portion on one side of said loop adjacent to said central section, said intermediate section having a second contact portion on an opposite side of said loop adjacent to said central section, each of said first contact portion and said second contact portion being made of absorbent material to provide a cleaning area on each side of said loop at said bottom of said loop whereby the mounting of said attachment to a cleaning implement converts the cleaning implement to a mop.

2. The combination of claim 1 including dispensing structure in said cleaning area of at least one side of said loop for dispensing an added ingredient.
3. The combination of claim 2 wherein said entire cover is made of said absorbent material to provide a single continuous cleaning area extending from said one side of said loop to said opposite side of said loop, and said cover being impregnated throughout with said added ingredient to comprise said dispensing structure.
4. The combination of claim 2 wherein said central section is made of absorbent material whereby said contact portions are integral with each other to form a single continuous cleaning area, said dispensing structure

WATCH-6

being a pad mounted to said cover in said single continuous cleaning area, and said pad containing said added ingredient.

5 5. The combination of claim 4 wherein said pad is located against said inner surface within said loop, and said pad extending from said one side of said loop to said opposite side of said loop across said central section.

10 6. The combination of claim 4 wherein said pad is located against said outer surface outside of said loop, and said pad extending from said one side of said loop to said opposite side of said loop across said central section.

15 7. The combination of claim 4 wherein said pad is located on said one side of said loops and does not extend to said opposite side of said loop whereby said cleaning area on opposite side of said loop may function as a wipe.

8. The combination of claim 4 wherein said pad is a coating non-detachably mounted to said cover.

20 9. The combination of claim 2 wherein said dispensing structure is a flexible pouch mounted to one of said sides of said loop, said pouch containing said added ingredient, and said pouch having a one-way valve in an outer wall thereof to dispense said added ingredient

WATCH-6

when pressure is applied to said pouch.

10. The combination of claim 9 wherein said pouch is detachably mounted to said cover.
11. The combination of claim 1 wherein said intermediate section has side edges whereby said loop has two opposite sets of side edges, and each of said sets of side edges having supplemental fastening structure to secure said sets of said edges together.
12. The combination of claim 1 wherein said intermediate section has side edges whereby said loop has two opposite sets of side edges, and one of said sets of side edges being longer than the other of said sets of side edges whereby said bottom section is slanted to conform to a slanted shape of the cleaning implement.
13. The combination of claim 1 in further combination with a cleaning implement having a cleaning head and a handle, and said cover being mounted around said cleaning head with said handle extending outwardly from said cleaning head through said open area between said flaps.
14. A cleaning attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section

WATCH-6

between said first end and said second end, said second
end being bifurcated to create a pair of spaced
outwardly extending flaps with an open area between
said flaps, said cover having an inner surface and an
5 outer surface, said intermediate section including a
central section between said first end and said second
end, fastening structure on said inner surface of said
flaps, complementary fastening structure on said outer
surface of said first end, said fastening structure and
10 said complementary fastening structure being located
for engagement when said cover is folded around a
cleaning head of a cleaning implement to form a closed
loop around the cleaning head with said flaps being
outwardly of and secured to said first end whereby said
15 open area between said flaps is adapted to accommodate
a handle extending outwardly from the cleaning head,
said loop having a top and a bottom, said loop having
first and second side walls formed by said intermediate
section and separated from each other by said central
20 section, reusable mounting structure on said outer
surface on said first side wall and further reusable
mounting structure on said outer surface of said cover,
and said central section being at said bottom of said
loop remote from said secured first end and flaps at

WATCH-6

said top of said loop with said reusable mounting structure and said further reusable mounting structure exposed at said outer surface to detachably mount a detached wipe at said first side wall of said loop to convert the cleaning implement to a mop and to detachably remove the wipe after use whereby a different wipe may be selectively mounted to said outer surface.

15. The attachment of claim 14 wherein said further reusable mounting structure is on said first wall whereby a wipe may be mounted to said cover confined to said first wall.

16. The attachment of claim 14 wherein said further reusable mounting structure is on said central section whereby a wipe may be mounted to said cover on said first wall extending to said central section.

17. The attachment of claim 14 wherein said further reusable mounting structure is on said outer surface of said second wall whereby a wipe may be mounted to said cover to both of said walls and across said central section.

18. The attachment of claim 17 wherein a pouch is mounted to said first side wall above said reusable mounting

WATCH-6

structure, said pouch containing an added ingredient,
said pouch having an outer wall remote from said cover,
and said outer wall of said pouch having a one-way
valve to dispense said added ingredient when pressure
is applied to said pouch.

19. The attachment of claim 14 wherein a pouch is mounted
to one of said side walls, said pouch containing an
added ingredient, said pouch having an outer wall
remote from said one of said side walls, and a one-way
valve in said pouch outer wall to dispense said added
ingredient when pressure is applied to said pouch.

20. The attachment of claim 19 wherein said pouch is
detachably mounted to said cover.

21. The attachment of claim 14 wherein intermediate section
has side edges whereby said loop has two opposite sets
of side edges, and each of said sets of side edges
having supplemental fastening structure to secure said
sets of said edges together.

22. The attachment of claim 14 wherein said intermediate
section has side edges whereby said loop has two
opposite sets of side edges, and one of said sets of
side edges being longer than the other of said sets of
side edges whereby said bottom section is slanted to

WATCH-6

conform to a slanted shape of the cleaning implement.

23. The attachment of claim 14 in combination with a wipe detachably mounted to said reusable mounting structure and to said reusable mounting structure.

5 24. The attachment of claim 23 in further combination with a cleaning implement having a cleaning head and a handle, and said cover being mounted around said cleaning head with said handle extending outwardly from said cleaning head through said open area between said flaps.

10 25. A cleaning attachment for a cleaning implement having an elongated handle and a cleaning head attached to one end of the handle, said cleaning attachment comprising a flexible cover having a top portion and a bottom portion, said flexible cover including a pair of walls spaced from each other for fitting on opposite sides of the cleaning head, each of said walls having an upper end at said top portion, connecting structure at said upper ends connecting said walls together, said
15 connecting structure having a generally centrally located spacing whereby said connecting structure may be disposed above and over the cleaning head with the handle located in the spacing, each of said walls having a lower end at said bottom portion, said lower
20

WATCH-6

ends being connected to each other by a central support surface, said attachment including a container mounted to said cover for holding a cleaning solution, said container having an outer wall spaced from said cover, at least one dispensing opening in said outer wall, flow regulating structure at said dispensing opening to selectively dispense the cleaning solution from said container, and reusable mounting structure at spaced locations on the outer surface of said cover to detachably mount a detached wipe to said outer surface of said cover.

26. The cleaning attachment of claim 25 wherein said container has a flexible outer wall, said dispensing opening being in said flexible outer wall, and said flow regulating structure being a one-way valve in said flexible outer wall at said dispensing open whereby the cleaning solution is dispensed when pressure is applied to said outer wall.

27. The cleaning attachment of claim 25 wherein said outer wall has a bottom portion extending outwardly from said cover, and said at least one dispensing opening being in said bottom portion.

28. The cleaning attachment of claim 27 wherein there are a

WATCH-6

plurality of said dispensing openings, and said flow regulating structure being a sponge layer mounted across said dispensing openings.

29. The cleaning attachment of claim 25 wherein said
5 container is detachably mounted to said cover.

30. A cleaning attachment for a cleaning implement having
an elongated handle and a cleaning head attached to one
end of the handle, said cleaning attachment comprising
a flexible cover having a top portion and a bottom
10 portion, said flexible cover including a pair of walls
spaced from each other for fitting on opposite sides of
the cleaning head, each of said walls having an upper
end at said top portion, connecting structure at said
upper ends connecting said walls together, said
15 connecting structure having a generally centrally
located spacing whereby said connecting structure may
be disposed above and over the cleaning head with the
handle located in the spacing, each of said walls
having a lower end at said bottom portion, said lower
20 ends being connected to each other by a central support
surface, a wing extending outwardly on each side of
said support surface extending outwardly at a
respective one of said walls, said wings having an
outer surface, reusable mounting structure on said

WATCH-6

outer surface to detachably mount a detached wipe to said outer surface below the cleaning head, and said outer surface of said wings and of said central support surface being a smooth continuous curve.

5 31. The attachment of claim 29 including padding mounted against said wings and said central support surface, an outer skin against said padding, and said outer skin having said continuous curve.

10 32. The attachment of claim 31 wherein said outer skin is porous, and said padding being impregnated with a cleaning solution for being dispensed through said outer skin.

15 33. The attachment of claim 29 in combination with the cleaning implement, said cleaning implement being a broom, and a wipe mounted to said bottom portion.

20 34. A cleaning attachment for a cleaning implement having an elongated handle and a cleaning head attached to one end of the handle, said cleaning attachment comprising a flexible cover having a top portion and a bottom portion, said flexible cover including a pair of walls spaced from each other for fitting on opposite sides of the cleaning head, each of said walls having an upper end at said top portion, connecting structure at said upper ends connecting said walls together, said
25 connecting structure having a generally centrally

WATCH-6

located spacing whereby said connecting structure may
be disposed above and over the cleaning head with the
handle located in the spacing, each of said walls
having a lower end at said bottom portion, said lower
ends being connected to each other by a central support
surface, a wing extending outwardly on each side of
said support surface extending outwardly at a
respective one of said walls, said wings having an
outer surface, reusable mounting structure on said
outer surface to detachably mount a detached wipe to
said outer surface below the cleaning head, said
attachment being of claim shell form with said
connecting structure being integral with said walls at
said upper portion, said central support surface being
in two sections separate from each other, and said two
sections being detachably secured together by securing
structure.

35. The attachment of claim 33 in combination with the
cleaning implement, said cleaning implement being a
broom, and a wipe mounted to said bottom portion.

::ODMA\MHODMA\CB;302740;1